


CSC4200/5200 – COMPUTER NETWORKING

Instructor: Susmit Shannigrahi


NETWORK SECURITY

sshannigrahi@tntech.edu





How do you ~~send~~ secure the cat picture?



Network Security

Goals

- understand principles of network security:
 - cryptography and its *many* uses beyond “confidentiality”
 - authentication
 - message integrity
- security in practice:
 - firewalls and intrusion detection systems
 - security in application, transport, network, link layers

What is network security?

confidentiality: only sender, intended receiver should “understand” message contents

- sender encrypts message
- receiver decrypts message


authentication: sender, receiver want to confirm identity of each other

message integrity: sender, receiver want to ensure message not altered (in transit, or afterwards) without detection

access and availability: services must be accessible and available to users

Friends and enemies: Alice, Bob, Trudy

- Bob and Alice want to communicate “securely”
- Trudy may intercept, delete, add messages




Where do we need security?

- ... well, *real-life* Bobs and Alices!
- Web browser/server for electronic transactions (e.g., on-line purchases)
- on-line banking client/server
- DNS servers
- routers exchanging routing table updates
- other examples?

Some example problems

- **eavesdrop**: intercept messages
- actively **insert** messages into connection
- **impersonation**: can fake (spoof) source address in packet (or any field in packet)
- **hijacking**: “take over” ongoing connection by removing sender or receiver, inserting himself in place
- **denial of service**: prevent service from being used by others (e.g., by overloading resources)

The Principle of cryptography



m plaintext message


$K_A(m)$ ciphertext, encrypted with key K_A

$m = K_B(K_A(m))$

Breaking an encryption scheme

- **cipher-text only attack:**
Trudy has ciphertext she can analyze
- **two approaches:**
 - brute force: search through all keys
 - statistical analysis
- **known-plaintext attack: someone** has plaintext corresponding to ciphertext
 - Enigma machine
 - Weather and Hilter in same position in every message
- **chosen-plaintext attack: someone** can get ciphertext for chosen plaintext
 - The battle of midway
 - Planning to attack AF
 - AF has water supply problem
 - Repeat – AF has water supply problems

Symmetric key cryptography



symmetric key crypto: Bob and Alice share same (symmetric) key: K
e.g., key is knowing substitution pattern in mono alphabetic substitution cipher – caesar cypher

Q: how do Bob and Alice agree on key value?

Simple encryption scheme

substitution cipher: substituting one thing for another

- monoalphabetic cipher: substitute one letter for another

plaintext:	abcdefghijklmnopqrstuvwxyz
	↓
ciphertext:	mnbvcxzasdfghjklpoiuytrewq
	↓

e.g.:

plaintext:	bob. i love you. alice
ciphertext:	nkn. s gktc wky. mgsbc

 **Encryption key:** mapping from set of 26 letters to set of 26 letters

A more sophisticated encryption approach

- n substitution ciphers, M_1, M_2, \dots, M_n
- cycling pattern:
 - e.g., $n=4$: $M_1, M_3, M_4, M_3, M_2; M_1, M_3, M_4, M_3, M_2; \dots$
- for each new plaintext symbol, use subsequent substitution pattern in cyclic pattern

 - dog: d from M_1 , o from M_3 , g from M_4

Encryption key: n substitution ciphers, and cyclic pattern

- key need not be just n -bit pattern

Symmetric key crypto: DES

DES: Data Encryption Standard

- US encryption standard [NIST 1993]
- 56-bit symmetric key, 64-bit plaintext input
- block cipher with cipher block chaining
- how secure is DES?
 - DES Challenge: 56-bit-key-encrypted phrase decrypted (brute force) in less than a day
 - no known good analytic attack
- making DES more secure:
 - 3DES: encrypt 3 times with 3 different keys


Symmetric key crypto: DES

DES operation

initial permutation

16 identical “rounds” of function application, each using different 48 bits of key

final permutation



How secure is DES - DES Challenges

- The first challenge began in 1997 and was solved in 96 days
- DES Challenge II-1 in 39 days in early 1998.
 - “Many hands make light work.”
- DES Challenge II-2 - 56 hours in July 1998,
- “It's time for those 128-, 192-, and 256-bit keys.”
- DES Challenge III
 - 22 hours 15 minutes in January 1999,
 - "See you in Rome (second AES Conference, March 22-23, 1999)"

AES: Advanced Encryption Standard

- Symmetric-key NIST standard, replaced DES (Nov 2001)
- processes data in 128 bit blocks
- 128, 192, or 256 bit keys
- brute force decryption (try each key) taking 1 sec on DES, takes 149 trillion years for AES

Public Key Cryptography




symmetric key crypto

- requires sender, receiver know shared secret key
- Q: how to agree on key in first place (particularly if never “met”)?

public key crypto

- radically different approach [Diffie-Hellman76, RSA78]
- sender, receiver do *not* share secret key
- *public* encryption key known to *all*
- *private* decryption key known only to receiver

Public key cryptography



Public key encryption algorithms

requirements:

① need K_B^+ () and K_B^- () such that

$$K_B^-(K_B^+(m)) = m$$

② given public key K_B^+ , it should be impossible to compute private key K_B^-

RSA: Rivest, Shamir, Adelson algorithm

Prerequisite: modular arithmetic

▮ $x \bmod n =$ remainder of x when divide by n

▮ facts:

$$[(a \bmod n) + (b \bmod n)] \bmod n = (a+b) \bmod n$$

$$[(a \bmod n) - (b \bmod n)] \bmod n = (a-b) \bmod n$$

$$[(a \bmod n) * (b \bmod n)] \bmod n = (a*b) \bmod n$$

▮ thus

$$(a \bmod n)^d \bmod n = a^d \bmod n$$

▮ example: $x=14, n=10, d=2$:

$$(x \bmod n)^d \bmod n = 4^2 \bmod 10 = 6$$

$$x^d = 14^2 = 196 \quad x^d \bmod 10 = 6$$

RSA: getting ready

- message: just a bit pattern
- bit pattern can be uniquely represented by an integer number
- thus, encrypting a message is equivalent to encrypting a number.

example:

- $m = 10010001$. This message is uniquely represented by the decimal number 145.
- to encrypt m , we encrypt the corresponding number, which gives a new number (the ciphertext).

RSA: Creating public/private key pair

1. choose two large prime numbers p, q .
(e.g., 1024 bits each)
2. compute $n = pq, z = (p-1)(q-1)$
3. choose e (with $e < n$) that has no common factors with z (e, z are “relatively prime”).
4. choose d such that $ed-1$ is exactly divisible by z .
(in other words: $ed \bmod z = 1$).
5. *public* key is $\underbrace{(n, e)}_{K_B^+}$. *private* key is $\underbrace{(n, d)}_{K_B^-}$.

RSA: encryption, decryption

0. given (n, e) and (n, d) as computed above

1. to encrypt message $m (<n)$, compute

$$c = m^e \bmod n$$

2. to decrypt received bit pattern, c , compute

$$m = c^d \bmod n$$


*magic
happens!*

$$m = \underbrace{(m^e \bmod n)}_c^d \bmod n$$

RSA example:

Bob chooses $p=5$, $q=7$. Then $n=35$, $z=24$.
 $e=5$ (so e, z relatively prime).
 $d=29$ (so $ed-1$ exactly divisible by z).

encrypting 8-bit messages.



RSA: another important property

The following property will be *very* useful later:

$$\underbrace{K_B^- (K_B^+ (m))}_{\text{use public key first, followed by private key}} = m = \underbrace{K_B^+ (K_B^- (m))}_{\text{use private key first, followed by public key}}$$

use public key first,
followed by private
key

use private key first,
followed by public
key

result is the same!

Why is RSA secure?

- suppose you know Bob's public key (n,e) . How hard is it to determine d ?
- essentially need to find factors of n without knowing the two factors p and q
 - fact: factoring a big number is hard

Digital signatures


cryptographic technique analogous to hand-written signatures:

- sender (Bob) digitally signs document, establishing he is document owner/creator.
- *verifiable, nonforgeable*: recipient (Alice) can prove to someone that Bob, and no one else (including Alice), must have signed document

Digital signatures

simple digital signature for message m :

- Bob signs m by encrypting with his private key K_B , creating “signed” message, $K_B(m)$



whoever signed m must have used Bob's private key.