CSC4200/5200 – COMPUTER NETWORKING

Instructor: Susmit Shannigrahi

ROUTING - CONTINUED

sshannigrahi@tntech.edu

GTA: dereddick42@students.tntech.edu

Tennessee TECH


Data
Apps (HTTP)
Apps (HTTP)
Segments
Transport (TCP/UDP)
Transport (TCP/UDP)
Packets
Network (IP)
Network (IP)
Frames
Link (Ethernet)
Ethernet Interface
Ethernet Interface
Link (Ethernet)
Bits (1010001)

So far…

- Routing – Link state

Dijkstra's algorithm: example

Step	N'	D(v) p(v)	D(w) p(w)	D(x) p(x)	D(y) p(y)	D(z) p(z)
0	u	7,u	3,u	5,u	∞	∞
1	uw	6,w		5,u	11,w	∞
2	uwx	6,w			11,w	14,x
3	uwxv				10,v	14,x
4	uwxvy					12,y
5	uwxvyz					



notes:

- construct shortest path tree by tracing predecessor nodes
- ties can exist (can be broken arbitrarily)

Link State Routing – controlled flooding



Flooding of link-state packets. (a) LSP arrives at node X; (b) X floods LSP to A and C; (c) A and C flood LSP to B (but not X); (d) flooding is complete

Example

- OSPF – Open shortest path first
- Problems -
  - does not scale!
  - Overhead
  - Reliable flooding may not be reliable

Distance Vector

- Each node has an one dimensional array (a vector) containing the “distances” (costs) to all other nodes
- Each node knows the cost to neighbors
- Each node distributes that vector to its immediate neighbors



Distance vector algorithm

Bellman-Ford equation (dynamic programming)

let

$d_x(y)$:= cost of least-cost path from x to y

then

$$d_x(y) = \min_v \{c(x,v) + d_v(y)\}$$

cost to neighbor v

cost from neighbor v to destination y

min taken over all neighbors v of x

$D_x(y) = \min\{c(x,y) + D_y(y), c(x,z) + D_z(y)\}$
$= \min\{2+0 , 7+1\} = 2$

$D_x(z) = \min\{c(x,y) + D_y(z), c(x,z) + D_z(z)\}$
$= \min\{2+1 , 7+0\} = 3$

node x table

from \ cost to	x	y	z
x	0	2	7
y	∞	∞	∞
z	∞	∞	∞

from \ cost to	x	y	z
x	0	2	3
y	2	0	1
z	7	1	0

node y table

from \ cost to	x	y	z
x	∞	∞	∞
y	2	0	1
z	∞	∞	∞

node z table

from \ cost to	x	y	z
x	∞	∞	∞
y	∞	∞	∞
z	7	1	0



time

$$D_x(y) = \min\{c(x,y) + D_y(y),\ c(x,z) + D_z(y)\} = \min\{2+0\ ,\ 7+1\} = 2$$

$$D_x(z) = \min\{c(x,y) + D_y(z),\ c(x,z) + D_z(z)\} = \min\{2+1\ ,\ 7+0\} = 3$$

node x table

from \ cost to	x	y	z
x	0	2	7
y	∞	∞	∞
z	∞	∞	∞

from \ cost to	x	y	z
x	0	2	3
y	2	0	1
z	7	1	0

from \ cost to	x	y	z
x	0	2	3
y	2	0	1
z	3	1	0

node y table

from \ cost to	x	y	z
x	∞	∞	∞
y	2	0	1
z	∞	∞	∞

from \ cost to	x	y	z
x	0	2	7
y	2	0	1
z	7	1	0

from \ cost to	x	y	z
x	0	2	3
y	2	0	1
z	3	1	0

node z table

from \ cost to	x	y	z
x	∞	∞	∞
y	∞	∞	∞
z	7	1	0

from \ cost to	x	y	z
x	0	2	7
y	2	0	1
z	3	1	0

from \ cost to	x	y	z
x	0	2	3
y	2	0	1
z	3	1	0

time



Distance vector algorithm

key idea:

- from time-to-time, each node sends its own distance vector estimate to neighbors
- when x receives new DV estimate from neighbor, it updates its own DV using B-F equation:

$$D_x(y) \leftarrow \min_v\{c(x,v) + D_v(y)\} \text{ for each node } y \in N$$

- under minor, natural conditions, the estimate $D_x(y)$ *converge to the actual least cost* $d_x(y)$

Distance vector algorithm

iterative, asynchronous:
each local iteration caused by:

- local link cost change
- DV update message from neighbor

distributed:

- each node notifies neighbors *only* when its DV changes
  - neighbors then notify their neighbors if necessary

each node:

wait for (change in local link cost or msg from neighbor)

recompute estimates

if DV to any dest has changed, *notify* neighbors

Distance vector algorithm



T=4

from A	via A	via B	via C	via D
to A				
to B		3	25	
to C		5	23	
to D		10	28	

from B	via A	via B	via C	via D
to A	3		7	
to B				
to C	8		2	
to D	13		7	

from C	via A	via B	via C	via D
to A	23	5		15
to B	26	2		12
to C				
to D	33	9		5

from D	via A	via B	via C	via D
to A			10	
to B			7	
to C			5	
to D				

Wikipedia

Initial distances stored at each node (global view)

Distance vector: link cost changes



link cost changes:

- node detects local link cost change
- updates routing info, recalculates distance vector
- if DV changes, notify neighbors

"good news travels fast"

t_0 : *y* detects link-cost change, updates its DV, informs its neighbors.

t_1 : *z* receives update from *y*, updates its table, computes new least cost to *x* , sends its neighbors its DV.

t_2 : *y* receives *z*'s update, updates its distance table. *y*'s least costs do *not* change, so *y* does *not* send a message to *z*.

Distance vector: link cost changes

link cost changes:

- node detects local link cost change
- *bad news travels slow* - "count to infinity" problem!
- 44 iterations before algorithm stabilizes



poisoned reverse:

- If Z routes through Y to get to X :
  - Z tells Y its (Z's) distance to X is infinite (so Y won't route to X via Z)
- will this completely solve count to infinity problem?

Distance vector: link cost changes



	X	Y	Z
X	0	4	5
Y	4	0	1
Z	5	1	0

1. Y *thinks* it can route via Z to X, cost is 6 (Y→Z + Z→ X)
2. Z sees the update from Y, updates it's own path, Cost to X is now 7 (Z→Y + Y→ X)
3. Y sees the update from Z,
4. and so on….

Distance vector: link cost changes

$d_x(y)$ - Distance from x to y



cost to

from	x	y	z
x	0	4	5
y	4 6	0	1
z	5	1	0

Y's table at convergence

Distance to x = Max (Direct path, Path via Z) = Max(60, 5+1) = 6
Y's path changed, advertise
Y → Z = Cost to x is 6
Z → Y = Cost to x is 7
….
Z finally realizes cost to x via y is 51, chooses direct path.

Distance vector: Routing Information Protocol (RIP)





Max hops = 16

Comparison of LS and DV algorithms

message complexity

- ***LS:*** with n nodes, E links, O(nE) msgs sent
- ***DV:*** exchange between neighbors only
  - convergence time varies

speed of convergence

- ***LS:*** $O(n^2)$ algorithm requires O(nE) msgs
  - may have oscillations
- ***DV:*** convergence time varies
  - may be routing loops
  - count-to-infinity problem

robustness: what happens if router malfunctions?

LS:

- node can advertise incorrect *link* cost
- each node computes only its *own* table

DV:

- DV node can advertise incorrect *path* cost
- each node's table used by others
  - error propagate thru network

Routing – Summarized



Routing will get you to the door (to another network)

A routing table tells you the most efficient way to get there

Once inside the building, use Layer 3 to Layer 2 mapping get to the actual hosts

IP: 1.3.2.1 → MAC:52:54:00:86:38:14



How do we scale this thing?

https://
www.submarinecablemap.com/



How do we scale this thing?



2003

2006

2009

2012

2015

http://www.opte.org/
https://time.com/3952373/internet-opte-projec

Local Routing – Gets you to the door.

What gets you to the campus?


Data
Apps (HTTP)
Apps (HTTP)
Segments
Transport (TCP/UDP)
Transport (TCP/UDP)
Packets
Network (IP)
Network (IP)
Frames
Link (Ethernet)
Ethernet Interface
Ethernet Interface
Link (Ethernet)
Bits (1010001)

Next Steps

How do we scale this routing to the Internet?